












## KEY BLANKS

Key blanks - 1:1 scale .....	41
Double-bit key blanks .....	47

<b>KEY BLANKS</b>	<b>CYLINDERS AND PADLOCKS</b>
<b>00770-00</b>	0H112 - 0H149 - 0H155 - 0H210 - 0H310 - 0H311 - 0H312 - 0H314 - 0H317 - 0H410 - 0H510 - 0H610
<b>00210-00/11</b>	02400
<b>00401-00</b>	26020-50/60 - 26510-70/77/94 serie 28050 - 28350 - 28550 - 2650-01
<b>00450-01/90</b>	02163 - 02164 - 02172 - 02176 - 02179 - 02182 - 02502 - 02572 - 02652 - 08815 - 08835 08855 - 08857 - 08875 - 08887 - 72275 - 72276 - 28052 - 28352 - 28552
<b>00500-01/90</b>	02152 - 02162 - 02166 - 02169 - 02173 - 02174 - 02501 - 02562 - 02651 - 08810 - 08830 - 08850 - 08851 - 08870 - 08881 - 72270 72271 - 28051 - 28351 - 28551
<b>00620-01/90</b>	0A112 - 0A114 - 0A116 - 0A120 - 0A149 - 0A155 - 0A210 - 0A310 - 0A311 - 0A312 - 0A314 - 0A317 - 0A410 - 0A415 - 0A510 - 0A610 - 22610/50 - 28053 - 28353 - 28553
<b>00700-02, 00750-01</b>	0B112 - 0B149 - 0B155 - 0B210 - 0B310 - 0B311 - 0B312 - 0B314 - 0B317 - 0B410 - 0B510 - 0B610 - 28057 - 28357 - 28557
<b>01210-00</b>	02125 - 02510 - 02520 - 22010-70 - 22013-70
<b>01220-00</b>	02131 - 02132 - 08311-07/08/13/14
<b>01310-00/10/20/30/40 01070-10</b>	02102 - 02104 - 02106 - 02110 - 02139 - 02142 - 02145 - 02146 - 02500 - 02513 - 02550 - 02552 - 02592 - 02649 08310-07/08/10/12÷15/17÷30/35÷37/46/70 - 08314 - 07/26 - 08320-03÷07/09÷13/19/21/22/25/26/27/29 08328-03÷07/09÷13/19/21/22/25÷27 - 08383 - 08353-03÷07/09÷13/14/17/18/19/21/22/25÷27/29/31÷42 08710-07/08/10/12÷15/17÷30/35÷37/46 - 08714-07/11/25-08728-03÷07/09÷13/19/21/22/25÷27/29 - 08730 08753-03÷07/09÷13/17/19/21/22/25÷27/29/31÷42 - 22010-50/60 - 22011-50/52 - 22012-50 - 22013-50/60 - 72250 - 72251 72255 - 72256 0G300-07-08-10-12÷15-17÷70 - 0G301-07-12-13-26 - 0G304-02÷13-20-21 - 0G302 - 0G307
<b>01320-00/10/20/30/40 01070-05</b>	02544-15 - 08310-04÷06/09/11/16 - 08314-05/06/11 - 08320-/02/24/28 - 08328-02/24/28 - 08353-02/24/28 08710-04÷06/09/11/16 - 08714-05/06 - 08728-02/24/28 - 08753-02/24/28 - 44010 - 44011 0G300-04÷06-09/11/16 - 0G301-05-06-09-11 - 0G304-18
<b>01330-00 01070-01</b>	02544-10/14 - 08310-02/03 - 08320-23 - 08328-23 - 08510-02/03 - 08353-23 02126 - 02156 0G300-02-03
<b>01410-00</b>	08210-02/05/06/12÷14/18 - 08220-02 - 08230-02/06 - 22010-40 - 22011-40/41 - 22012-40 - 22013-40 - 22070-40 - 26020-40 - 26021-40
<b>01420-00</b>	02040 - 02042 - 72010 - 72210 - 72215
<b>01425-00</b>	08210-01
<b>01430-00</b>	22010-30 - 22011-30/31 - 22012-30 - 22013-30 - 22070-30 - 26020-30
<b>01440-00</b>	22010-20/25 - 22011-20 - 22013-20/25 23010
<b>01510-00</b>	22010-115
<b>01710-00</b>	72350
<b>00670-01</b>	0E300 - 0E304 - 0E302

Type	Description	L	Pins	Unit weight	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Peris. Spec.
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	3	0,010	50	1 01040 01 1					
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	4	0,010	50	1 01040 02 1					
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	4	0,010	50	1 01040 03 1					
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	5	0,010	50	1 01040 04 1					
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	5	0,010	50	1 01040 05 1					
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> </ul>	5	0,012	50	1 01060 10 0					
	<ul style="list-style-type: none"> <li>Nickel-plated steel</li> <li>Cross key section</li> </ul>	75,0	6	0,018	25	1 00210 00 0				
	<ul style="list-style-type: none"> <li>Nickel-plated steel</li> <li>Cross key section</li> </ul>	90,0	6	0,023	25	1 00211 00 0				
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	6	0,015	25	1 01210 00 2					


Type	Description	L	Pins	Unit weight	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Pers.



- Nickel-plated brass
- Paracentral keyway

5	0,014	25	1	01220	00	2
---	-------	----	---	-------	----	---


**C2000**



- Nickel-plated brass
- Paracentral keyway

5	0,012	50	1	01070	10	1
5	0,013	50	1	01070	10	2


**C2000**



- Nickel-plated brass
- Paracentral keyway


4	0,012	50	1	01070	05	1
4	0,011	50	1	01070	05	2

**C2000**




- Nickel-plated brass
- Paracentral keyway

3	0,011	50	1	01070	01	1
3	0,011	50	1	01070	01	2



- Nickel-plated brass
- Paracentral keyway









5	0,010	50	1	01310	00	1
5	0,011	50	1	01310	00	2









- Nickel-plated brass
- Paracentral keyway

4	0,010	50	1	01320	00	1
4	0,010	50	1	01320	00	2


Type	Description	L	Pins	Unit weight 	Pieces 	ITEM			
						Type	Dim.	Hand	Fin.
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	5	0,015	50	1	01310	10	1	
		5	0,015	50	1	01310	10	2	
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	4	0,014	50	1	01320	10	1	
		4	0,013	50	1	01320	10	2	
	<ul style="list-style-type: none"> <li>Blank key for master key duplication (MK)</li> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	5	0,014	50	1	01310	20	1	
		5	0,010	50	1	01310	20	2	
	<ul style="list-style-type: none"> <li>Blank key for master key duplication (MK)</li> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	4	0,011	50	1	01320	20	1	
		4	0,010	50	1	01320	20	2	
	<ul style="list-style-type: none"> <li>Blank key for grand master key duplication (GMK)</li> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	5	0,014	50	1	01310	30	1	
		5	0,010	50	1	01310	30	2	
	<ul style="list-style-type: none"> <li>Blank key for grand master key duplication (GMK)</li> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	4	0,011	50	1	01320	30	1	
		4	0,010	50	1	01320	30	2	
	<ul style="list-style-type: none"> <li>Blank key for great grand master key duplication (GGMK)</li> <li>Nickel-plated brass</li> <li>Paracentral keyway</li> </ul>	5	0,014	50	1	01310	40	1	

Type	Description	L	Pins	Unit weight	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> <li>• Blank key for great grand master key duplication (GGMK)</li> <li>• Nickel-plated brass</li> <li>• Paracentral keyway</li> </ul>	4	0,010	50	1	01320	40	1		
		4	0,010	50	1	01320	40	2		
	<ul style="list-style-type: none"> <li>• Nickel-plated brass</li> <li>• Paracentral keyway</li> </ul>	3	0,011	50	1	01330	00	1		
		3	0,010	50	1	01330	00	2		
	<ul style="list-style-type: none"> <li>• Nickel-plated brass</li> <li>• Paracentral keyway</li> </ul>	5	0,008	50	1	01410	00	1		
		5	0,008	50	1	01410	00	2		
	<ul style="list-style-type: none"> <li>• Nickel-plated brass</li> <li>• Paracentral keyway</li> </ul>	4	0,008	50	1	01420	00	1		
		4	0,008	50	1	01420	00	2		
	<ul style="list-style-type: none"> <li>• Nickel-plated brass</li> <li>• Paracentral keyway</li> </ul>	3	0,007	50	1	01425	00	1		
		3	0,008	50	1	01425	00	2		
	<ul style="list-style-type: none"> <li>• Nickel-plated brass</li> <li>• Paracentral keyway</li> </ul>	4	0,005	50	1	01430	00	1		
		4	0,005	50	1	01430	00	2		
	<ul style="list-style-type: none"> <li>• Nickel-plated brass</li> <li>• Paracentral keyway</li> </ul>	4	0,005	50	1	01440	00	1		
		4	0,004	50	1	01440	00	2		
	<ul style="list-style-type: none"> <li>• Nickel-plated brass</li> <li>• Paracentral keyway</li> </ul>	3	0,003	50	1	01510	00	1		
		3	0,002	50	1	01510	00	2		

Type	Description	L	Pins	Unit weight	Pieces	ITEM						
						Type	Dim.	Hand	Fin.	Pers.	Spec.	
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Multiprofile</li> <li>Paracentral keyway</li> </ul>											
											5	0,010
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Multiprofile</li> <li>Paracentral keyway</li> </ul>											
											4	0,009
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Wafer key</li> </ul>											
											5	0,007
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Patented profile</li> </ul>											
											5	0,015
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Thickness 2.9 mm.</li> <li>Flat profile</li> </ul>											
											6	0,017
	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Thickness 2.2 mm.</li> <li>Flat profile</li> </ul>											
											10	0,015

Type	Description	L	Pins	Unit weight 	Pieces 	ITEM			
						Type	Dim.	Hand	Fin.


**ASTRAL**



- Nickel-plated brass
- Thickness 2.9 mm.
- Flat profile

10 0,017 50 1 00620 01 0


**ASTRAL**




- Nickel-plated brass
- Nylon bow
- Long key
- Thickness 2.9 mm.
- Flat profile

10 0,015 20 1 00620 90 0


**GSP®**




- SEE AUTHORIZED CENTRE PROGRAM




















**AP3  
SYSTEM**



- SEE SOLUTION PARTNER PROGRAM



**ALI**

Type	Description	For locks series	L	Levers	Unit weight 	Pieces 	ITEM				
							Type	Dim.	Hand	Fin.	Pers.
		<ul style="list-style-type: none"> <li>Nickel-plated brass</li> </ul>	17300, 57000, 57200, 57300, 57400, 57800	35,5	6	0,018	25	1	00100	00	1
				60,0	6	0,022	25	1	00102	00	1
	 	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Nylon bow</li> </ul>	57000, 57200, 57800	35,5	6	0,020	25	1	00101	00	1
				35,5	6	0,020	25	1	00101	00	2
				46,0		0,022	25	1	00104	00	1
		<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Nylon bow</li> </ul>	57050, 57055, 57060	42,0	6	0,028	10	1	00110	00	1
				69,0	6	0,030	10	1	00112	00	1
	 	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> </ul>	17500, 57100, 57500	62,0	6	0,029	25	1	00120	00	1
				62,0	6	0,029	25	1	00120	00	2
				37,0	6	0,025	25	1	00121	00	1
				37,0	6	0,026	25	1	00121	00	2
		<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Nylon bow</li> </ul>	17500, 56700, 57500, 57700	37,0	6	0,029	10	1	00122	00	1
				58,0	6	0,033	25	1	00123	00	1
				47,0	6	0,030	10	1	00124	00	1
	 	<ul style="list-style-type: none"> <li>Nickel-plated brass</li> </ul>	57100, 57500	60,0	6	0,040	10	1	00125	00	1
				60,0	6	0,040	10	1	00125	00	2
		<ul style="list-style-type: none"> <li>Nickel-plated brass</li> <li>Nylon bow</li> </ul>	17600, 57600, 57900	44,0	6	0,032	1	1	00162	00	1
				64,0	6	0,036	1	1	00163	00	1